


Description



- Binary input/binary output sensor interfaces
- 6-way key interface
- 8-pole cable connection
- Free allocation of functions: Switch/key, dimming, blinds, valuator, sequences, measuring temperature, controlling LED
- 2 NTC inputs for detection of the actual temperature from -5 °C to +100 °C
- Can be installed in flush-mounted sockets with conventional sensors/ switches
- Flexible LED controlling, thanks to increased output current of 3 mA commercially available LEDs and low current LEDs can be controlled
- Inputs can be reconfigured to outputs with parameterizable flashing and pulsing function
- Colour coding of wiring pairs

Technical data

Operating voltage KNX	Bus voltage, ≤10 mA
Installation type	in flush-mounted socket
Type of connection	KNX bus terminal
Number of inputs	6
Max. cable length	30 m
Length connecting wires	25 cm
Contact voltage	5 V
Contact current	0,5 mA
Reaction in case of bus recovery	Adjustable
Ambient temperature	-5 °C ... +45 °C
Type of protection	IP 20
Protection class	III

Accessories

Temperature sensor

- Article number: 9070489
Details ▶ www.theben.de



External temperature sensor 1

- Article number: 9070191
Details ▶ www.theben.de



Temperature sensor

- Article number: 9070321
Details ▶ www.theben.de



Temperature sensor RAMSES IP 65

- Article number: 9070459
Details ▶ www.theben.de

